



TKB 2925 electric cooler with USB connection

- Cools up to 20° C below room temperature and keeps food warm at approx. 50° C
- With innovative USB connection cable for external power operation
- Sufficient space thanks to 25 litres of usable volume
- Including electrical connection and additional 12 V connection cable for cigarette lighter
- Includes practical car battery discharge protection
- Includes environmentally-friendly ECO function (16 W)



Overview of important data

Power	58 Watt
Colour / Material	grey / green / Plastic
Cable length	
Packing dimensions	45.0 x 33.0 x 46.0 cm
Gross weight incl. packaging	5.42 kg
Dimensions of the product	44.5 x 32.0 x 45.0 cm
Net weight	4.55 kg
Display box (PU)	1 Pc.
EAN	4008146040955
Further special features	<ul style="list-style-type: none"> - Indicator light: yes - Net volume (in l): 25 - Climatic class: N - Noise generation (in dB): 49

Product details



The perfect 3-in-1 solution for unlimited flexibility and mobility. Includes power connection, 12 V connection cable for cigarette lighter for in-car use as well as USB connection cable for external power supply (e.g. power bank*).



Practical carrying handle can also be used as a lid holder. The cover has an integrated cable compartment, a durable and brushless fan motor and is removable.



Sufficient space thanks to the 25L net capacity. Includes helpful dividing grille for individual, controlled filling. 1.5 and 2 litre bottles can stand upright. The box cools contents to 20° C below room temperature and can also keep food warm



From the liquor store to the lake: thanks to its perfect dimensions, even an 11-beer crate fits into the cool box.



Can also be used on the go without electricity. Operation can be extended by up to 4.5 hours using a power bank* (10,000 mAh). (* Power bank not included in delivery)

Includes self-adhesive silicone pad for non-slip storage of a power bank* on top of the lid. The silicone pad leaves no residue and is easy to remove. (* Power bank not included in delivery)